



Mercury Avator 7.5e Electric Outboard

POA



Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	7.5e	Length	0.00
Year	2024	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	
Condition	New	State	New Zealand
Suburb	Pukekohe	Engine Make	

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

The Mercury® Avator™ 7.5e electric outboard reaches speeds at an acceleration similar to a 3.5hp internal combustion outboard. This rechargeable outboard is ideal for smaller boats, tenders and can act as secondary power on sailboats. Portable and lightweight, the 7.5e is an ideal zero-emission marine motor option. Available in tiller and remote steer models with quick-connect batteries and intuitive controls for easy set-up and operation.

Intuitive Innovation

Boost Mode

Go faster with an automatic 20% more torque during hard accelerations in Boost Mode when compared to similar competitive products.

Corrosion Resistant

Avator Electric Outboards are engineered with Mercury's proven corrosion-preventative materials and coatings, for a confident boating experience in both saltwater and freshwater.

Sustainability

Transform your boating experience with no exhaust fumes and zero direct emissions from the Avator outboard range. Clean, quiet power that moves you and makes exploring effortless.

Easy Storage and Transport

Store your Avator confidently and conveniently with no fuel and no fumes to worry about. The quick-connect bracket makes the tiller model a snap to attach.

Quick-Connect Battery

With no cables to connect, the 1kwh lithium-ion battery slides securely into place under the 7.5e flip-up cowl. This conserves space inside small boats

Multi-Purpose Tiller Handle

The Avator tiller is perfect for anyone to take the helm with confidence, adjusting to accommodate the individual boater. It can be used as left or right-hand steer or folds down as a convenient carrying handle.

High-Efficiency Prop

The hydrodynamic durable and efficient three-blade prop is crafted of high-strength, impact-resistant composite material, optimised to help extend the battery life.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Engine type

- Avator

Input Power

- 916W

Rated Prop Shaft Power

- 750W

Rated Voltage

- 48

Battery

- Integrated 1kWh

Battery Type

- Li-Ion

Battery IP Rating

- IP67

Charger (Standard)

- 230W

Total Weight

(Excluding Battery and Transom Bracket)

- 37 lbs / 16.7kgs

Total Weight Excluding Battery

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

- 43lbs / 19.5kgs

Battery Weight

- 17 lbs / 7.7kgs

Steering

- Remote
- Tiller

Shaft Length

- 15" / 381 mm
- 20" / 508mm
- 25" 635 mm

Standard Propeller

- 12.7 x 7p

Engine Details

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.